

PHOSPHOLIPASE  
A2 RECEPTOR  
(PLA2R)  
ANTIBODIES

## Orderable - IMMIX

Turnaround Time: 14 days

### Alternate Name(s):

Anti-PLA2R

### Specimen:

Adult	Pediatric
5 mL Gold top Vacutainer tube or 6 mL Red top Vacutainer tube	0-2 years: 0.5 mL Red or Gold top Microtainer 2-10 years: 2 mL Red top Vacutainer tube

### Collection Information:

**Pre-approval by Biochemist on-call is required.**

Minimum volume of serum is 0.5 mL.

### Reference Ranges:

Negative:	<14 RU/mL
Borderline:	14 - 19 RU/mL
Positive:	>19 RU/mL

### Interpretive Comments:

Anti-PLA2R antibodies can be detected in the serum of up to 70-80% of patients with primary membranous nephropathy.

### Comments:

**This test is available exclusively to SJHC/LHSC nephrologists.**



**Laboratory:**  
Core Lab



**Requisition:**  
GENERAL LABORATORY  
REQUISITION




**Method of Analysis:**  
ELISA



**Test Schedule:**  
Referred out Monday-  
Thursday



**Referred Out Location:**  
[In-Common Laboratories](#)



PHOSPHOLIPASE  
A2 RECEPTOR  
(PLA2R)  
ANTIBODIES

**Storage and Shipment:**

Store and send frozen.

**Specimen Stability:**

Refrigerated: 14 days

Ambient: Unacceptable