

ANTI-
IGLON 5
ANTIBODY,
SERUM/CSF

Orderable - IGLON₅S for serum IGLON₅CSF for CSF

Turnaround Time: 15 days

Specimen:

Adult	Pediatric
5 mL Gold or 6 mL Red top Vacutainer tube	0-2 years: 0.5 mL Red Microtainer 2-10 years: 2 mL Red top Vacutainer tube
EDTA, heparin or citrated plasma are also acceptable.	
CSF: CSF may also be submitted for testing.	



Laboratory:
Clinical Immunology Lab



Requisition:
[CLINICAL IMMUNOLOGY
REQUISITION](#)



Method of Analysis:
Cell-based assay (CBA)



Test Schedule:
Batch analysis

Collection Information:

Minimum volume required for testing is 0.5 mL

Reference Ranges:

Negative

Interpretive Comments:

Associated disease: parasomnia, tauopathy

Dr. Adrian Budhram will review the provided clinical information for every positive neural antibody result, and contact the ordering physician to promptly review the result and aid in clinical-serological correlation.

Comments:

This test is available to neurologists at LHSC/SJHC and accepted from referred in locations.

A single autoantibody test is not diagnostic and should not be used to determine course of treatment.

The test result must be evaluated with consideration of clinical presentation, patient history and other laboratory tests.

ANTI-
IGLON 5
ANTIBODY,
SERUM/CSF

Sample Stability:

Refrigerated: 14 days

Frozen: 30 days